

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	5	(382/232.ccls. or 382/305.ccls.) and ((encod\$3 or cod\$3) with (geospatial\$3 or geograph\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/07/24 17:07
S3	41	geospatial	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/18 19:42
S4	71	(geospatial or geo-spatial or (geo with spatial))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/18 19:04
S5	34	(geospatial or geo-spatial or (geo with spatial)).ti.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/18 19:12
S6	31	geospatial.ti.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/18 19:05
S7	8	(US-6282362-\$ or US-6272457-\$ or US-6272501-\$ or US-H001958-\$ or US-6108648-\$ or US-5418906-\$).did. or (US-20020109863-\$ or US-20010039489-\$).did.	US-PGPUB; USPAT	OR	OFF	2002/09/18 19:24
S8	1	((US-6282362-\$ or US-6272457-\$ or US-6272501-\$ or US-H001958-\$ or US-6108648-\$ or US-5418906-\$).did. or (US-20020109863-\$ or US-20010039489-\$).did.) and (process\$4 or schedul\$3) and (acquisition or acquir\$3) and (production or produc\$3) and (distribution or distribut\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 09:27
S9	2352	(process\$3 with media).ti.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/18 19:42
S10	8	cable with transim\$6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 11:02
S11	14786	cable with (TV or tv or television)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 11:04
S12	5	(cable with (TV or tv or television)) and (geospatial or geo-spatial or (geo with spatial))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 11:05
S13	350	(cable with (TV or tv or television)) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 11:58

S14	646	GPS.ti.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 11:59
S15	124704	media with process\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 12:00
S16	2364	media with process\$3.ti.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 13:24
S17	3660	global with position with system	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 09:29
S18	339	(media with process\$3.ti.ab.) and (cable with transmi\$6 (tv or TV or television))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 12:03
S19	26	((media with process\$3.ti.ab.) and (cable with transmi\$6 (tv or TV or television))) and "707"/\$.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 12:02
S20	10	(media with process\$3.ti.ab.) and (cable with transmi\$6 with (tv or TV or television))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 12:14
S21	696	mmds	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 12:14
S22	118	(multipoint or multi-point) with (multichannel or multi-channel) with distribution with system	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 12:15
S23	562	open with video with system	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 13:24
S24	2665	media with (process\$3 or distribut\$4 or deliver\$3).ti.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 13:25
S25	5	(open with video with system) and (media with (process\$3 or distribut\$4 or deliver\$3).ti.ab.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 13:25
S26	84	(disseminat\$3 or dis-seminat\$3) with module	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 13:57
S27	0	((disseminat\$3 or dis-seminat\$3) with module) with CRM	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 13:57
S28	937	CRM	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 14:22
S29	43	CRM with module	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 14:01

S30	0	(CRM with module) same (disseminat\$3 or dis-seminat\$3)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 14:01
S31	9	customer with relationship with management with module	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 14:23
S32	103	(distribut\$3 or broadcast\$3 or deliver\$4) with sale with market\$3 with information	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 14:55
S33	64	((distribut\$3 or broadcast\$3 or deliver\$4) with sale with market\$3 with information) and module	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 14:24
S34	4	(distribut\$3 or broadcast\$3 or deliver\$4) with sale with market\$3 with information with module	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 16:17
S35	101	((distribut\$3 or broadcast\$3 or deliver\$4) with (sale or market\$3 with module))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 16:18
S36	26	((distribut\$3 or broadcast\$3 or deliver\$4) with (sale or market\$3 with module)) and (database with (sale or market))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 17:12
S37	368	inventor\$4 with account\$3 with process\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 17:16
S38	39	database with inventor\$4 with account\$3 with process\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 17:16
S39	2	database with inventor\$4 with account\$3 with process\$3 with media	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 17:43
S40	2	(database with inventor\$4 with account\$3 with process\$3 with media) and quer\$3	US-PGPUB; USPAT; IBM_TDB	OR	ON	2002/09/20 17:43
S41	2	((US-6282362-\$ or US-6272457-\$ or US-6272501-\$ or US-H001958-\$ or US-6108648-\$ or US-5418906-\$).did. or (US-20020109863-\$ or US-20010039489-\$).did.) and focus	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 09:28
S42	0	((US-6282362-\$ or US-6272457-\$ or US-6272501-\$ or US-H001958-\$ or US-6108648-\$ or US-5418906-\$).did. or (US-20020109863-\$ or US-20010039489-\$).did.) and (focus with (position or location or place))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 09:28

S43	5733	((GPS or (global with position with system) or geospatial or satellite). ab. and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 11:40
S44	67	((GPS or (global with position with system) or geospatial or satellite). ab. and (@ad<"19990726")) and (focus with (position or location))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 12:20
S45	25	((GPS or (global with position with system) or geospatial or satellite). ab. and (@ad<"19990726")) and (lens\$3 with focus\$3 with (position or location or distance))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 15:58
S46	3858	((determin\$3 or locat\$3 or record\$3 or find\$3) with (location or position or distance) with lens\$3 with focus) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/05 17:54
S47	44	((determin\$3 or locat\$3 or record\$3 or find\$3) with (location or position or distance) with lens\$3 with focus) and (@ad<"19990726") and (GPS or (global\$3 with position\$3 with system) or geospatial or satellite)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 23:47
S48	870	(GPS or (global\$3 with position\$3 with system) or geospatial or satellite) and ((single or concatena\$3) with (numeric\$3 or digit\$3) with (data or infomation)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 22:28
S49	134	(GPS or (global\$3 with position\$3 with system) or geospatial or satellite).ab. and ((single or concatena\$3) with (numeric\$3 or digit\$3) with (data or infomation)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 22:43
S50	47	(GPS or (global\$3 with position\$3 with system) or geospatial or satellite) and (encapsulat\$3 with object with class) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 22:37
S51	31	(GPS or (global\$3 with position\$3 with system) or geospatial or satellite) and ((single or concatena\$3) with (numeric\$3) with (data or infomation)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 22:47

S52	524	(GPS or (global\$3 with position\$3 with system) or geospatial or spatial or satellite) and ((single or one or concatena\$3) with (numeric\$3) with (data or infomation)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 22:51
S53	100	(GPS or (global\$3 with position\$3 with system) or geospatial or spatial or satellite) and ((single or concatena\$3) with (numeric\$3) with (data or infomation)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 22:51
S54	630	((determin\$3 or locat\$3 or record\$3 or find\$3) with (location or position or distance) with lens\$3 with focus) and (@ad<"19990726") and (GPS or (global\$3 with position\$3 with system) or geospatial or spatial or satellite)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 23:49
S55	76	((determin\$3 or locat\$3 or record\$3 or find\$3) with (location or position or distance) with lens\$3 with focus) and (@ad<"19990726") and (GPS or (global\$3 with position\$3 with system) or geospatial or spatial or satellite).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/06 23:58
S56	71	((determin\$3 or locat\$3 or record\$3 or find\$3) with (location or position) with (lens\$3 or camera or satellite) with focus) and (@ad<"19990726") and (GPS or (global\$3 with position\$3 with system) or geospatial or spatial or satellite).ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/04/07 00:01
S57	20	"4709418".pn. or "5371532".pn. or "5418713".pn. or "5528518".pn. or "5584025".pn. or "5633946".pn. or "5734719".pn. or "5736977".pn. or "5852810".pn. or "5867155".pn. or "5893113".pn. or "5909638".pn. or "5945985".pn. or "5953722".pn. or "5968109".pn. or "5999924".pn. or "6029173".pn. or "6038568".pn. or "6047234".pn. or "6061688".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 18:19
S58	4184	707/10.ccls. or 707/104.ccls. or 707/200.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/07/23 17:34

S59	0	(geospatial\$5 or geograph\$7) with (707/10.ccls. or 707/104.ccls. or 707/200.ccls.)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2003/07/23 17:35
S69	2	"20040083237" or "6681231".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 21:36
S70	916	((concatenate\$3 or compress\$3) with (geospat\$5 or latitude or longitude or ((position\$5 or geograph\$5) near3 data))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/08 19:55
S71	33	(concatenate\$3 with (geospat\$5 or latitude or longitude or ((position\$5 or geograph\$5) near3 data))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/08 19:52
S72	36	((concatenate\$3 or compress\$3) with (geospat\$5 or latitude or longitude or ((position\$5 or geograph\$5) near3 data))) and (@ad<"19990726") and GPS	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/08 20:17
S73	31	((encapsulat\$5 or abstract) with (data or object) with (geospat\$5 or latitude or longitude or ((position\$5 or geograph\$5) near3 data))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 20:51
S74	1	((encapsulat\$5 or abstract) with (data or object) with (geospat\$5 or latitude or longitude or ((position\$5 or geograph\$5) near3 data))) and (@ad<"19990726") and (GPS or (global near3 position\$5))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/08 20:23
S75	26	"4709418".pn. or "5371532".pn. or "5418713".pn. or "5528518".pn. or "5584025".pn. or "5633946".pn. or "5734719".pn. or "5736977".pn. or "5845263".pn. or "5852810".pn. or "5867155".pn. or "5893113".pn. or "5909638".pn. or "5945985".pn. or "5953722".pn. or "5968109".pn. or "5999924".pn. or "6020931".pn. or "6029173".pn. or "6038568".pn. or "6047234".pn. or "6061688".pn. or "6188962".pn. or "6282362".pn. or "6310661".pn. or "6421653".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 18:22
S76	6	S75 and focus	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 19:12

S77	2692	((GPS or (global adj position\$7) or satellite or telescope) same (focus or lense) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 16:19
S78	33	((GPS or (global adj position\$7) or satellite or telescope) with (focus or lense) with ratio) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 19:34
S79	536	((GPS or (global adj position\$7) or satellite or telescope) with (focus or lense or focal) with (ratio or length)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 19:35
S80	21	(((GPS or (global adj position\$7) or satellite or telescope) with (focus or lense or focal) with (ratio or length)) same ((determin\$3 or refer\$9 or calculat\$3) with (location or position\$3 or latitude or longitude))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 19:36
S81	1682	((object or class or entity) with (geospat\$5 or latitude or longitude or (global near2 position\$3))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 20:54
S82	0	((encapsulat\$3 or abstract) with (object or class or entity) with (geospat\$5 or latitude or longitude or (global near2 position\$3))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 20:53
S83	151	S81 and ((encapsulat\$3 or abstract) with (object or entity or class))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 20:56
S84	32	S83 and (GPS or (global adj position\$7) or satellite or telescope)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/12/11 20:57
S85	0	(geospatial or geo-spatial or (geo with spatial)) and (GPS or (global adj position\$7) or satellite or telescope) and (@ad<"19990726") and (schedul\$3 with (captur\$3 or record\$3 or acqui\$9))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 16:44
S86	47	((GPS or (global adj position\$7) or satellite or telescope) with (schedul\$3 with (captur\$3 or record\$3 or acqui\$9))) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 16:44
S87	1386	(encapsulat\$3 with object with data) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 16:44

S88	0	(geospatial or geo-spatial or (geo with spatial)) and (GPS or (global adj position\$7) or satellite or telescope) and (@ad<"19990726") and (encapsulat\$3 with object with data)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 16:59
S90	0	(encapsulat\$3 with (object or class) with (geospatial or geo-spatial or (geo with spatial) or longitude or latitude)) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 17:01
S93	81	(object with (geospatial or geo-spatial or (geo with spatial) or longitude or latitude) with data) and (@ad<"19990726")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2005/06/07 17:02